## Approved For Release 2001/05/10: CIA-RDP78-03985A000400080018-7

## COPY OF SHIPPING LIST

Item No.	<u>Description</u>	No. of cases	Case	Units per case	Case <u>Weight</u>	Case Measurement
1A2	Exciter Cubicle S#1474645	1	7	1	3000	60x53x91
1A/ <sub>+</sub>	Left Power Amplifier	1	2	<u>i</u>	2900	60x53x91
	Cubicle S#1474645					
1A3	Modulator Cubicle S#14746	44 1	3	1	2953	60x53x91
1A30	Blower Motors 7½ H.P. 7426385 Pt. 5, S#1442202	11	4	1	208	28x17x19
1A30	Blower Motors 7½ H.P. 7426385 Pt. 5. S#1442202	11	55	1	208	28x17x19
1A28	1 set Vacuum Tubes con- sisting of: 8 WL-5671. 3 WL-807, 4 WL 5736, 2 WL 802, 4 WL-813, 2 OD 3VR-1		6	7	205	38x25x38
1A22	2 Instruction Books CF-13			•		, , , , , , , , , , , , , , , , , , , ,
1B3	2 type MX-1 console, In- struction Books 1B-81-310	<b>-</b> 1				
1A19	1 R.F. Current Transformer S#1471694-A					
IA23	l Westinghouse Nameplate S#1472812					
IA18	1 Mod. Coupling Capacitor S#1081020	1	7	1	208	21x9x30
1 <b>A</b> 26	(Part of) 1 set Freq. Sensitive Items (1000 King consisting of: 1 Left Power Amp. Neutralizing Coil 7619001-G-3, 1 Right Power Amp. Neutralizing Coil 7619001-G-3, 1 1-5736 R. F. Plantank Padder 560 MMF 10	te	d			
20 1 <b>A1</b> 6	KV 14711582  1 Left Power Amp, Neu- tralizing Coil S#7619001 G-1 2 Blower Line Starters	1	8	7	195	38x32x23
1A13	Dwg. 7426385 Pt. 10 1 Modulator Transformer					
ريعد	1483785	1	9	1	6300	66x50x84
1A15	Blower Dwg. 7426385 Pt. 2	1	10	1	1810	69x57x84
1A15	Blower Dwg. 7426385 Pt. 2	1	11	1	1810	69x57x84
1B1	l Type NX-1 Control Conso Desk and Chair S#1472247	le, <u>1</u>	12	1	660	73×43×49
1B1	(Part of) 1 Type MX-1 Control Console, Desk and Chair S#1472247	1	13	2	140_	25x25x38

Item No.	L.	No. of	Case Nos.	Units per case	Case Weight	Case <u>Measurement</u>
7427	7 Tratallation Vit 7/2770	e 7	7.	-	do	
1A24 2B	1 Installation Kit 742770 Power Amplifier Pilate	5 1	14	1	80	40x11x11
	Tank Padder Capacitors S#1472200	1	15	1	150	19x19x40
2B	Power Amplifier Pilate				-	
	Tank Padder Capacitors	4				
1A10	S#1472200	1	16	1	150	20x18x37
LAIO	Distribution Bus Trans-	,	7.00	_	0.00	
1A10	former S#1483783 Distribution Bus Trans-	1	17	1	280	19x21x27
LALO	former S#1483783	1	18	1	200	700708
lalo	Distribution Bus Trans-		_ 10		280	19x21x27
	former S#1483783	1	19	1	280	19x21x27
IA2	(Part of) 1 Exciter				~~~	TANTAL
	Cubicle S#1353000	11	20	1	345	38x32x23
IA3	(Part of) 1 Modulator					
	Cubicle S#1474644	1	21	1	180	35x23x29
lA5	(Part of) 1 Center Power					
	Amplifier Cubicle					
lA7	S#1474646	1	22	1	590	53x48x50
IA/	(Part of) 1 Power Amp.	-	00	-		
1A29	Rectox Frame 1472248 (Part of) 1 Modulator	$-\frac{1}{1}$	23		300	47x38x17
IAC/	Rectox Frame S#1472249	1	24	1	100	20-2/28
1A12	Distribution Bus Regulator	·	24		128	39x16x17
	S#148439	1	25	1	294	16x18x37
IAI2	Distribution Bus Regulator	1			~ /4	TONION)/
	S#148439	1	26	1	294	16x18x37
1A31	2 Varipitch "tex rope"					
	Drive 7426385 Pt. 6	1	27	2	232	24x22x13
1A32	2 Sheavek 7426385 Pt. 7	_				
1 A O J	(Magic Grip)	1	28	3	232	24x22x16
IA34	1 Allis Chalmers "Tex Slid	ie"				
742/	Base #3 7426385 Pt. 9 1 Installation Kit 7427705	7	20		750	22.07.70
1B4.	1 Set Naeplate Mounting	<u> </u>	29		152	33x24x13
	Hardware Consisting of:	1	30		350	26-25-27
	6 Truss Head Brass 4"	1.	50		150	26x25x21
	machine Screws 4-40, 6 Hex					
	Nuts, Brass 4-40 Finish 2D	),				
	6 Lockwashers, outside Sha					
	proof Stnd 4-40, Finish 2D					
~	1 Cloth Bag 4x6, PDS-6094-					
3R	200 Ft. of 2 conductor, 7 O.olo Wire, Shielded Twist					
<b>3</b> U	Pair PDS-7417-6 8 Receptacle Plugs; for RG	_q/				
<i>)</i> (	U cable #22000, or equiv.	<del>-</del> 0/				
	S"1474278					
3L	20 Copper Elbow Fittings f	or				The second second
-	3/8" Tubing, S-407, CAT. 3					
Δ	pproved For Release 2001/05/1		DP78-03	3985A00040	0080018-7	7 ·

		MM	0.	** * * *	,	_
Item No.	Description	No. of cases	Case Nos.	Units per case	Case Weight	Case Measurement
3M	50 Copper Elbow Fittings for ½ Buting, S-407, CAT. 4101					
3N	5 Copper "Tee" Fittings for 3/8" Tubing, S-"411, CAT. 3770					, *
30	15 Copper "Tee" Fittings for ½" Tubing, S-W-411, CAT. 4182					
3P	5 Copper Couplings for 3/8" Tubings-401, CAT 4178					
<b>3</b> Q:	30 Copper Couplings for ½"Tubing, S-401, CAT. 4088					·
1A35 3S	70 Ft. RG-62/U R.F. Cable 225 Ft. RG-8/U Coaxial Cable PDS-9263					
3B	30 Ft. of #10 Stranded Lead Sheath Cable 3500 Volt Insulation PDS 7275-3					,
1A25	65 Ft. RG-17/U R.F. Cable					
1A33						
· .	4 Allis Chalmers Belts Type R-150, #3 7426385, Pt. 8					
2D	1 Right Power Amp. Neutral izing Coil, 7619001 G-1	<u> </u>	31		306	38x32x23
3T	8 Jack Receptacles for RG- U Cable #23000 or equiv.		)±		<i>5</i> 00	JOAJKARJ
3H	35 Wire Terminals Thomas & Betts #31007 for #2 wire					
3I	13 Wire Terminals Thomas					
)±	& Betts S#31015 for 3 Con-					,
	ductor Cable					
3K	12 Stand-off Insulators					
	Type 1111-06, 8" length					
	Type B top with Type C					
	base 3/8-16 tapp					
1A6	(Part of) 1 Right Power					
	Amp. Cubicle S#1474647	1	32	1	210	35x23x29
IA5	(Part of) 1 Center Power	<del></del>				
	Amplifier Cubicle S#1474646	6 <b>1</b>	_33	1	84	35x16x23
1A14	Modulation Reactors 1453629		34	1	3024	50x33x74
	Modulation Reactors 1453629		35	1	3024	50x33x74
JA9	1 Main Rect. Plate Trans-					
	former S#1608579	1	36	1	3300	66x38x78
JA1	1 Power Control Cubicle					
	<u>5#14734643</u>	1	37	1	3300	60x52x91
IAII	l Main Rectifier Regulator					مير ميد که در سکان خدم
	(60 cps) S#1486437	1	_38	1	3020	48x31x83
1A27	2 Oscillator Units, Type					
7 A	FA S#1472593 pproved For Release 2001/05/1	0 : CIA-R	DP78-0	398 <mark>5</mark> A00040	0080018	7 <sup>35x23x39</sup>

## Approved For Release 2001/05/10 : CIA-RDP78-03985A000400080018-7

Item No.	Description	No. of cases	Case Nos.	Units per case	Case Weight	Case <u>Measurement</u>
1A36	1 High Pass Filter G- Letter 76258					
JA16	2 Blower Line Starters Dwg. 7426385 Pt. 10					
1 <b>A</b> 16	Line Starter & set of 3 Feed Thru Bowl					
1A28	1 Set Vacuum Tubes, con- sisting of: 8 WL-5671, 4 WL-5736, 4 WL-813, 3 WL-807, 2 WL-802, 2 OD 3/VR-150	1	40		270	42x33x43
10	1 set Spare Tubes for Item 1, Consisting of: 8 WL-5671, 4 WL-5736, 4 W1-813, 3 WL-807, 2 W1-802, 2 ODB/VR-150, 4 RCA 1-V	1	48		430	46x38x39
1A17	1 Switchgear Cubicle 1474648	1	56	1	1300	55x24x96
1A5	l Center Power Amplifier Cubicle S#1474646	1	57	1	2050	61x52x91
1A17	(Part of) 1 Switchgear Cubicle 1474648	1	<i>5</i> 8	1	220	25x21x26
1A17	(Part of) 1 Switchgear Cubicle 1474648	1	59	1	220	25x21x26
1A6	1 Right Power Amp, Cubi- cle S#1474647	1	60	1	1329	61x52x26
JA7	1 Power Amp Rectox Frame 1472248	1	61	1	734	46x31x70
1A29	1 Modulator Rectox Frame 5#1472249	1	62	1	734	46x31x70
7.0/	Not listed	1	63		1800	36x30x96
1A34	l Allis Chalmers "Tex Slid Base #3 7426385 Pt. 9	1	821	1	84	24x22x5
2A 1A26	4 - 4-5736 R.R. Plate Tank Padders Capacitors 560 MMF 10 KV S#1471582 (Part of) 1 - 1-5736 R.F. Plate Tank Padder 560 MM 10 KV S#1471582	1	2347	5	28	17x15x11
1A37	1 Set of End Radii consisting of: 1 - L.H. Deep 1471824, 1 - R. H. Deep	;	1-00			
1A37	S#1471825  1 Set of End Radii consisting of: 1 - L.H. Deep 1471824, 1 - R. H. Deep	<u>1</u>	4132	1	250	
3G	S#1471825 500' Copper Strap 0.25"x	<u>l</u>	4133	1	250	
	1.25" PDS 2003-2	1	1	riceria comuni sum amendanan ancara seria de la cara	670	115x8x6

## Approved For Release 2001/05/10 : CIA-RDP78-03985A000400080018-7

Item No.	Description	No. o		Units per case	Case <u>Weight</u>	Case <u>Measurement</u>
3C	500 Copper Strap 0.25"x 1.25" PDS 2003-2	1	2		220	28x26x16
3D	250 D-250 Ft. of 500 MCM 37/.1162 three conductor 600 volt A.V.C.					
	Power Cable	1	Reel #1		1825	51x <b>5</b> 1x34
3E	50° Hard Drawn Copper Tubing 0.311° I.D. and	_				
3A	0.375" O.D. PDS-7003M 10990 Ft. #12 Stranded	_1_	4063		225	27x22x14
)A	65 of 1.01 wire black vinyl insulation PDS 8241	_				
	10	11	4064		175	33x14x14
3F	650' Hard drawn copper tubing 0.370" I.D. and 0.550" O.C. PDS-7003 M	*				
	7 - Wood Reels: 12 x 14 (1	N) 1	4065		325	20x7x6